

J-PACK

A new generation folding carton packer with a history of success.

Straight lines, 4 & 6 corners and many other styles.

Speed and versatility in a cost-effective package.




Touch-screen Operator Panel with virtually unlimited recipe storage



Low-consumption compressed air for precision motion controls



Maintenance-free proximity sensor for smooth and reliable speed control




Main motor is Inverter Duty with Siemens drives and PLC in a spacious and ventilated electrical enclosure



The Buffer Station motor is also Inverter Duty with encoder to follow compression speed



Precision laser scanner provides reliable count accuracy without contacting the carton stream




J-PACK:

- * Projected to lower product cost by up to 30%
- * Requires only a single operator to achieve maximum output
- * Also reduces physical work-load on the single operator
- * Practical automation for any run length of 50,000 cartons or more
- * Average makeready time can be 10-15 minutes in actual production environment
- * Can increase folder-gluer run speed by 40% to 50% on average, in some cases as much as 120%
- * Easy to move and can be switched from one folder-gluer to another
- * Compatible with virtually all folder-gluer makes and models
- * Can pack up to 4-rows and 4-layers
- * Can pack on crease lines or on end flaps

GRAPHIC WEST

PACKAGING MACHINERY, LLC






SHIPPING CASES

Made from sturdy corrugated, solid fiber board or other materials. Regular Slotted Containers (RSC) or Half Slotted Containers (HSC) with either sealed or unsealed bottoms




PACKING CONFIGURATION

1-ROW / 1-LAYER up to 4-ROWS / 4-LAYERS



APPLICATIONS:

Straight line folding cartons and collapsible boxes made from folding carton material ranging from .010 to .030 (200 to 600gsm)



OUTPUT: Depending on the speed of the connected Folder-Gluer, up to 600 meters per minute.

J-PACK DIMENSIONS:

METRIC UNITS
ENGLISH UNITS

	LENGTH	WIDTH	HEIGHT	WEIGHT	SEAWORTHY PACKING
METRIC UNITS	4380 mm	2930 mm	2150 mm	2346 kg	22 M ³
ENGLISH UNITS	172.4"	115.4"	84.6"	5171 lbs.	777 ft ³